

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 09/01/2024 Revision date: 19/01/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|---------------|------------------------------------|
| Product form | : Mixture |
| Trade name | : Galaxy Spray Anti Static, 400 ml |
| UFI | : SQJO-EOXT-300T-3S61 |
| Product code | : AT11GSAS |
| Product group | : Blend |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|----------------------------------|---|
| Main use category | : Industrial use |
| Industrial/Professional use spec | : Industrial For professional use only |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AtéCé Graphic Products
Molenwerf 14
NL - 1911 DB Uitgeest
Netherlands
T +31 251 319109
msds@atece.nl, www.atece.nl

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|--|------|
| Flammable gases, Category 1A | H220 |
| Aerosol, Category 3 | H229 |
| Serious eye damage/eye irritation, Category 2 | H319 |
| Full text of H- and EUH-statements: see section 16 | |

Adverse physicochemical, human health and environmental effects

No additional information available

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H220 - Extremely flammable gas.
H229 - Pressurised container: May burst if heated.
H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P271 - Use only outdoors or in a well-ventilated area.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------------|---|
| butane substance with national workplace exposure limit(s) (GB) | CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691-32 | > 25 – < 50 | Flam. Gas 1A, H220 Press. Gas (Comp.), H280 |

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------------|---|
| Dimethylether substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit | CAS-No.: 115-10-6 EC-No.: 204-065-8 EC Index-No.: 603-019-00-8 REACH-no: 01-2119472128-37 | > 10 – < 25 | Flam. Gas 1, H220 Press. Gas |
| propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB) | CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25 | > 10 – < 15 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

No additional information available

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Direct sunlight. Heat sources. Sources of ignition.
- Maximum storage period : ≈ 12 months
- Storage temperature : 15 – 35 °C

7.3. Specific end use(s)

No additional information available

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| butane (106-97-8) | |
|---|--|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Butane |
| WEL TWA (OEL TWA) | 1450 mg/m ³ |
| | 600 ppm |
| WEL STEL (OEL STEL) | 1810 mg/m ³ |
| | 750 ppm |
| Remark | Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) | |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Propan-2-ol |
| WEL TWA (OEL TWA) | 999 mg/m ³ |
| | 400 ppm |
| WEL STEL (OEL STEL) | 1250 mg/m ³ |
| | 500 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| Dimethylether (115-10-6) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Dimethylether |
| IOEL TWA | 1920 mg/m ³ |
| | 1000 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Dimethyl ether |
| WEL TWA (OEL TWA) | 766 mg/m ³ |
| | 400 ppm |
| WEL STEL (OEL STEL) | 958 mg/m ³ |

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Dimethylether (115-10-6) | |
|--------------------------|---------------------------------------|
| | 500 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

| Hand protection | | | | | |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| | Nitrile rubber (NBR) | 6 (> 480 minutes) | 0,4 | | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | : Gas |
| Colour | : Colourless. |
| Odour | : ether-like odour. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not applicable |
| Boiling point | : ≈ -44 °C |
| Flammability | : Non flammable. |
| Lower explosion limit | : 1.5 vol % |
| Upper explosion limit | : 18.6 vol % |
| Flash point | : ≈ -97 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not applicable |
| pH | : Not applicable |
| Viscosity, kinematic | : Not applicable |
| Solubility | : In water, material is partially soluble. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : 2.5 – 4.5 bar |
| Vapour pressure at 50°C | : Not available |
| Density | : ≈ 0.62 g/cm ³ (20°C) |
| Relative density | : Not applicable |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 93.1 % ; VOC-CH: 93,1%

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
 Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|-----------------------|---------------------------|
| LD50 oral rat | 5840 mg/kg |
| LD50 oral | 4384 mg/kg |
| LD50 dermal rabbit | > 13400 mg/kg |
| LD50 dermal | 12870 mg/kg |
| LC50 Inhalation - Rat | > 10000 mg/m ³ |

Dimethylether (115-10-6)

| | |
|-----------------------------|---|
| LC50 Inhalation - Rat [ppm] | 164000 ppm Animal: rat, Animal sex: male, Remarks on results: other., 95% CL: 142000 - 203000 |
|-----------------------------|---|

Skin corrosion/irritation : Not classified
 Additional information : Based on available data, the classification criteria are not met
 Serious eye damage/irritation : Causes serious eye irritation.
 Additional information : Based on available data, the classification criteria are not met
 Respiratory or skin sensitisation : Not classified
 Additional information : Based on available data, the classification criteria are not met
 Germ cell mutagenicity : Not classified
 Additional information : Based on available data, the classification criteria are not met
 Carcinogenicity : Not classified
 Additional information : Based on available data, the classification criteria are not met

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|------------------------|--|
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|------------------------|--|
| STOT-single exposure | May cause drowsiness or dizziness. |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not applicable |
| Additional information | : Based on available data, the classification criteria are not met |

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|----------------------|--|
| Viscosity, kinematic | 3.1 mm ² /s (20°C); 1.8 mm ² /s (40°C) |
|----------------------|--|

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|----------------------|-------------|
| LC50 - Fish [1] | > 9640 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l |
| ErC50 algae | > 1000 mg/l |

Dimethylether (115-10-6)

| | |
|----------------------|---|
| LC50 - Fish [1] | > 4.1 g/l Test organisms (species): Poecilia reticulata |
| EC50 - Crustacea [1] | > 4.4 g/l Test organisms (species): Daphnia magna |
| EC50 96h - Algae [1] | 154917 mg/l Test organisms (species): other: |

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Galaxy Spray Anti Static, 400 ml

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

butane (106-97-8)

| | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

Dimethylether (115-10-6)

| | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

12.3. Bioaccumulative potential

Galaxy Spray Anti Static, 400 ml

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

| | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 0.05 |
|---|------|

| | |
|---|------|
| Partition coefficient n-octanol/water (Log Kow) | 0.05 |
|---|------|

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecological information : Avoid release to the environment.

Galaxy Spray Anti Static, 400 ml






Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW, EC 2000/532) : 16 00 00 - WASTES NOT OTHERWISE SPECIFIED IN THE LIST
 16 05 00 - gases in pressure containers and discarded chemicals
 16 05 04* - gases in pressure containers (including halons) containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|---|---|
| 14.1. UN number or ID number | | | | |
| UN 1950 | UN 1950 | UN 1950 | UN 1950 | UN 1950 |
| 14.2. UN proper shipping name | | | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |
| Transport document description | | | | |
| UN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2.1 |
| 14.3. Transport hazard class(es) | | | | |
| 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 5F
 Special provisions (ADR) : 190, 327, 344, 625
 Limited quantities (ADR) : 1I
 Excepted quantities (ADR) : E0
 Packing instructions (ADR) : P207
 Special packing provisions (ADR) : PP87, RR6, L2
 Mixed packing provisions (ADR) : MP9
 Transport category (ADR) : 2

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage - Packages (ADR) : V14
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12
 Special provisions for carriage - Operation (ADR) : S2
 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959
 Limited quantities (IMDG) : SP277
 Excepted quantities (IMDG) : E0
 Packing instructions (IMDG) : P207, LP200
 Special packing provisions (IMDG) : PP87, L2
 EmS-No. (Fire) : F-D
 EmS-No. (Spillage) : S-U
 Stowage category (IMDG) : None
 Stowage and handling (IMDG) : SW1, SW22
 Segregation (IMDG) : SG69

Air transport

PCA Excepted quantities (IATA) : E0
 PCA Limited quantities (IATA) : Y203
 PCA limited quantity max net quantity (IATA) : 30kgG
 PCA packing instructions (IATA) : 203
 PCA max net quantity (IATA) : 75kg
 CAO packing instructions (IATA) : 203
 CAO max net quantity (IATA) : 150kg
 Special provisions (IATA) : A145, A167, A802
 ERG code (IATA) : 10L

Inland waterway transport

Classification code (ADN) : 5F
 Special provisions (ADN) : 190, 327, 344, 625
 Limited quantities (ADN) : 1 L
 Excepted quantities (ADN) : E0
 Equipment required (ADN) : PP, EX, A
 Ventilation (ADN) : VE01, VE04
 Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : 5F
 Special provisions (RID) : 190, 327, 344, 625
 Limited quantities (RID) : 1L
 Excepted quantities (RID) : E0
 Packing instructions (RID) : P207, LP200
 Special packing provisions (RID) : PP87, RR6, L2
 Mixed packing provisions (RID) : MP9
 Transport category (RID) : 2
 Special provisions for carriage – Packages (RID) : W14
 Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12
 Colis express (express parcels) (RID) : CE2

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 93.1 % ; VOC-CH: 93,1%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Galaxy Spray Anti Static, 400 ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

| | |
|--------------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Gas 1 | Flammable gases, Category 1 |
| Flam. Gas 1A | Flammable gases, Category 1A |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| H220 | Extremely flammable gas. |
| H225 | Highly flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H280 | Contains gas under pressure; may explode if heated. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| Press. Gas | Gases under pressure |
| Press. Gas (Comp.) | Gases under pressure : Compressed gas |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.